







PRIORY HOUSE







Five-year warranty

- > Clean the surface with a soft cleaning cloth and a little water.
- > Remove more stubborn stains by applying the cleaner to a soft cleaning cloth and treating the area.
- > Rinse with clean water to remove all traces of the cleaner
- > Dry the surface.



Five-year warranty

- > Clean the surface with a soft cleaning cloth and a little water.
- > Remove more stubborn stains by applying the cleaner to a soft cleaning cloth and treating the area.
- > Rinse with clean water to remove all traces of the cleaner
- > Dry the surface.




Technical data

Partial flush volume factory setting approx. 3 l

Partial flush volume setting range approx. 2-4 l



Full flush volume factory setting approx. 6 l

Large flush volume setting range approx. 3.5-7.5 l






Use normal soap or a mild cleaning agent for regular care and prevention of lime scale on the flush plate. Under no circumstances should scouring agent or scratching objects be used.

Strong stains can be removed using typical household cleaner. Rinse the detergent thoroughly with clear water after the prescribed exposure time. There should be no residue on the components.





- ① With flow limiter
- ② Without flow limiter




- Only use cleaning material which is explicitly provided for this type of application.
- Never use cleaning materials, which contain hydrochloric acid, formic acid, concentrated caustic soda, chlorine pale lye or acetic acid, as they cause considerable damage.
- Phosphorus acidic cleaners are only conditionally applicable.

Warranty

Hansgrohe guarantees to the consumer that this product is free of production faults. If nevertheless any defect is detected within 5 years from date of purchase,



Five-year warranty








CARE AND CLEANING OF REAL WOOD VENEER OR SOLID WOOD

Real wood veneer is a living material. Its structure, grain, porosity and colour vary naturally which proves the authenticity of the natural wood material. The colour and lustre of wood

may change if it is exposed to sunlight over time; this variation is therefore not a justified complaint. Use a slightly damp, soft lint-free cloth or chamois to regularly remove dust.

Five-year warranty





Dimensions: 1700 x 700 x 420 / 1265 mm

Weight: 44,9 kg

Capacity*: 118 l

Edge height: 30 mm

Corner radius: 10 mm

Drain 52 mm

Diameter:

Lying 1265 mm

Dimension:



CARE INSTRUCTIONS




When cleaning always use a soft damp cloth with a non abrasive cleaning product. Stubborn marks can be removed using non-abrasive cleaning agents, such as washing up liquid, It is recommended that you rinse after each use and also after cleaning.

PRODUCT SPECIFICATIONS



SKU	Unicradle
Brand	Bette
Ce Approved	Yes
Height (MM)	110-150
Weight (Kg)	21






Clean with warm soapy water followed by rinsing with clean water and drying with a soft cloth. All finishes are vulnerable to acid attack and some strong substances such as household cleaners or disinfectants can cause surfaces to go black or peel.



Five-year manufacturer's guarantee



The consumption was measured in combination with the appropriate fittings (thermostat/mixer/in-wall valve) to reflect actual application in practice.




- Only use cleaning material which is explicitly provided for this type of application.
- Never use cleaning materials, which contain hydrochloric acid, formic acid, concentrated caustic soda, chlorine pale lye or acetic acid, as they cause considerable damage.
- Phosphorus acidic cleaners are only conditionally applicable.

Warranty

Hansgrohe guarantees to the consumer that this product is free of production faults. If nevertheless any defect is detected within 5 years from date of purchase,



Glass (mm)	Height (mm)	Width (mm)
10	1500	800



15 Year Guarantee





Maintenance

As good as new finish can be maintained by following these simple instructions:

1. Dry out the tray fully after every use, to avoid build up of limescale and soap residue.
2. Clean the shower tray regularly using a damp cloth or sponge. Dry with a soft dry cloth.
3. Occasionally use a non-abrasive cleaner to remove stubborn stains.

Shower Tray Customer 25 Year Guarantee



- ### Five-year manufacturer's guarantee

C.P. HART
CONTRACTS

27268000 - Showerpipe EcoSmart with
thermostatic shower mixer



Alcove Fitting




Left or Right handing must be specified when ordering


Enclosure Size (mm)	Handing	Adjustment (mm)	Aperture (mm)	Door Code	In-Line Panel Code
760	Left hand	733 - 747	500	TL1HD2BGBL	TL1H76BGBL
760	Right hand	733 - 747	500	TL1HD2BGBR	TL1H76BGBR
800	Left hand	773 - 787	500	TL1HD2BGBL	TL1H8BGBL
800	Right hand	773 - 787	500	TL1HD2BGBR	TL1H8BGBR
900	Left hand	873 - 887	640	TL1HDBGBL	TL1H9BGBL
900	Right hand	873 - 887	640	TL1HDBGBR	TL1H9BGBR
1200	Left hand	1173 - 1187	640	TL1HDBGBL	TL1H12BGBL
1200	Right hand	1173 - 1187	640	TL1HDBGBR	TL1H12BGBR

Corner Fitting

Left or Right handing must be specified when ordering

Enclosure Size (mm)	Handing	Adjustment (mm)	Aperture (mm)	Door Code	In-Line Panel Code	Side Panel Code
1000 x 800	Left hand	773 - 787	667	TL1HDBGBL	TL1HR10BGBL	THR8BGBL
1000 x 800	Right hand	773 - 787	667	TL1HDBGBR	TL1HR10BGBR	THR8BGBR
1000 x 900	Left hand	873 - 887	667	TL1HDBGBL	TL1HR10BGBL	THR9BGBL
1000 x 900	Right hand	873 - 887	667	TL1HDBGBR	TL1HR10BGBR	THR9BGBR
1200 x 800	Left hand	773 - 787	667	TL1HDBGBL	TL1HR12BGBL	THR8BGBL
1200 x 800	Right hand	773 - 787	667	TL1HDBGBR	TL1HR12BGBR	THR8BGBR
1200 x 900	Left hand	873 - 887	667	TL1HDBGBL	TL1HR12BGBL	THR9BGBL
1200 x 900	Right hand	873 - 887	667	TL1HDBGBR	TL1HR12BGBR	THR9BGBR
1400 x 800	Left hand	773 - 787	667	TL1HDBGBL	TL1HR14BGBL	THR8BGBL
1400 x 800	Right hand	773 - 787	667	TL1HDBGBR	TL1HR14BGBR	THR8BGBR
1400 x 900	Left hand	873 - 887	667	TL1HDBGBL	TL1HR14BGBL	THR9BGBL
1400 x 900	Right hand	873 - 887	667	TL1HDBGBR	TL1HR14BGBR	THR9BGBR
1600 x 800	Left hand	773 - 787	667	TL1HDBGBL	TL1HR16BGBL	THR8BGBL
1600 x 800	Right hand	773 - 787	667	TL1HDBGBR	TL1HR16BGBR	THR8BGBR
1600 x 900	Left hand	873 - 887	667	TL1HDBGBL	TL1HR16BGBL	THR9BGBL
1600 x 900	Right hand	873 - 887	667	TL1HDBGBR	TL1HR16BGBR	THR9BGBR





CARE AND CLEANING OF REAL WOOD VENEER OR SOLID WOOD

Real wood veneer is a living material. Its structure, grain, porosity and colour vary naturally which proves the authenticity of the natural wood material. The colour and lustre of wood

may change if it is exposed to sunlight over time; this variation is therefore not a justified complaint. Use a slightly damp, soft lint-free cloth or chamois to regularly remove dust.

Five-year warranty



WINNER
RETAILER OF THE YEAR



**INDUSTRY
PARTNER**

C.P. HART
CONTRACTS