





Heaton House






Five-year warranty

💧 4,5 litre flush

C.P. HART
CONTRACTS

215009 DURASTYLE FLOOR STANDING BTW PAN 370X570MM WHITE

6379 DURASTYLE SOFT CLOSE TOILET SEAT AND COVER WHITE




Cleaning and maintenance of the concealed cistern



WRAS -1506059
6 / 3 Litre Flush

The concealed cistern is constantly under mechanical, chemical, and physical stress. For this reason, the components must be cleaned as required, and the drain and filling valve seals renewed.



In areas or regions with hard water due to high concentration of calcium or magnesium salts, there is the risk of limescale deposits developing on the inlet and drain valves. The valves may have to be replaced, depending on the extent of the deposits.

The Viega logo consists of the word "viega" in a bold, lowercase, sans-serif font, colored yellow, set against a black rectangular background.

Use normal soap or a mild cleaning agent for regular care and prevention of lime scale on the flush plate. Under no circumstances should scouring agent or scratching objects be used.



Strong stains can be removed using typical household cleaner. Rinse the detergent thoroughly with clear water after the prescribed exposure time. There should be no residue on the components.

WARRANTY
(25) years




Five-year manufacturer's guarantee

WRAS 2107044



Five-year warranty




Five-year warranty

Technical drawing of a rectangular plate with a central slot and a circular hole. The drawing includes the following dimensions and features:

- A**: Overall width of the plate.
- B**: Overall height of the plate.
- 220**: Width of the central slot.
- Z**: Depth of the central slot.
- Ø52**: Diameter of the circular hole.
- K**: Distance from the bottom edge of the plate to the center of the hole.
- L**: Length of the central slot.
- O**: Distance from the left edge of the plate to the start of the slot.

Aggressive cleaning products such as drain cleaners and sand-based or highly abrasive products are not suitable for cleaning purposes. They may damage the surface of the BetteGlaze®. Their use is therefore not recommended at all. Regular care will achieve a fresh cleanliness and the optimum hygiene even without aggressive cleaning products.



30

Years
Warranty*

**Sustainable Glazed
* Quality Titanium**




Glazed Titanium-Steel

A	B	C	D	E	F	G	H	I	K	L	N	O
1400	700	100	1230	70	400	420	580	965	450	475	65	590


C.P. HART
CONTRACTS

2945 FORM SINGLE ENDED BATH 1700X700MM WHITE




Only use cleaning material which is explicitly provided for this type of application.
 Never use cleaning materials, which contain hydrochloric acid, formic acid, concentrated caustic soda, chlorine pale lye or acetic acid, as they cause considerable damage.
 Phosphorus acidic cleaners are only conditionally applicable.
 Mixing cleaning agents is not permitted, generally.
 Never use cleaning materials or appliances with an abrasive effect, such as unsuitable cleaning powders, sponge pads or micro fibre cloths.

Five-year manufacturer's guarantee



1809030



Only use cleaning material which is explicitly provided for this type of application.
 Never use cleaning materials, which contain hydrochloric acid, formic acid, concentrated caustic soda, chlorine pale lye or acetic acid, as they cause considerable damage.
 Phosphorus acidic cleaners are only conditionally applicable.
 Mixing cleaning agents is not permitted, generally.
 Never use cleaning materials or appliances with an abrasive effect, such as unsuitable cleaning powders, sponge pads or micro fibre cloths.





Five-year manufacturer's guarantee

1901002

hansgrohe



1907326



Only use cleaning material which is explicitly provided for this type of application.

Never use cleaning materials, which contain hydrochloric acid, formic acid, concentrated caustic soda, chlorine pale lye or acetic acid, as they cause considerable damage.

Phosphorus acidic cleaners are only conditionally applicable.

Mixing cleaning agents is not permitted, generally.

Never use cleaning materials or appliances with an abrasive effect, such as unsuitable cleaning powders, sponge pads or micro fibre cloths.

Five-year manufacturer's guarantee

C.P. HART
CONTRACTS

27268000 HG Crometta S 240 SHP EcoSmart

v8T1213S Lumin8 slider 1200mm



8mm toughened safety glass
Reversible for left or right hand fitting
Height: 1950mm
Aperture: 458mm
Adjustable: 1140-1190mm

H2D2CS Haven bath screen



Height: 1360mm
Width: 820mm
Glass Thickness: 5mm
Adjustment: 810-825mm
Frameless with radius glass
Reversible for left or right hand applications
Suitable for all standard bath mixer and electric showers

JT



③ 1200x700mm

③ 1200x760mm ■●

③ 1200x800mm ■●▲

③ 1200x900mm ■●

⑥ 1300x800mm

Five-year manufacturer's guarantee

C.P. HART
CONTRACTS

JT FUSION RECTANGULAR SHOWER TRAY 1200X800X45MM WITH
CHROME WASTE



WINNER
RETAILER OF THE YEAR



**INDUSTRY
PARTNER**

C.P. HART
CONTRACTS